Components of an Information System

資訊系統的組成

- An Information system is a collected system of technology aims to solve a particular problem or achieve a particular goal.
 - 資訊系統是指為解決某個問題或達致某個目標而科技結合的系統。
- For example, a library management system consists of computers, servers, databases, etc., to digitise the process of managing items in a library and borrowing/returning of the items.

例如:一個圖書館管理系統包含電腦、伺服器、數據庫等,用以數碼化管理 館藏和借還的流程。

- · An information system typically includes 一個資訊系統通常包括:
 - Hardware 硬件
 - Software 軟件
 - Network 網絡
 - Data 數據
 - Process 過程
 - Personnel 人員

Data Validation and Verification

數據有效性檢測及數據校驗

Data Validation: to assure the data received is reasonable.

數據有效性檢測:確保接收到的數據是合理的。

• Data Verification: to assure the data received is accurate and consistent.

數據校驗:確保接收到的數據是準確及一致的。

Data Validation Techniques 數據有效性檢測方法

- Presence Check 完整性檢查
- Type Check 類型檢查
- · Range Check 範圍檢查
- · Fixed Value Check 固定數值檢查
- · Format Check 格式檢查
- Length Check 長度檢查
- · Uniqueness Check 唯一檢查
- · Check Digit 檢查數位

Data Verification Techniques 數據校驗方法

- There are two methods of data verification 數據校驗方法有兩種:
 - Input Data Twice 雙重輸入
 - Double Data Entry 由兩個人獨立輸入
- · Similarity: Both entries are passed to computer software to scan for discrepancies. 相似點:兩者均把輸入數據交由電腦找出差異。
- Difference: Input Data Twice is performed by 1 person entering the same data twice, whereas Double Data Entry is performed by 2 people entering the same data. 差異:雙重輸入由一人完成。

Exam Question Types 考試題目類別

Q1. [Type 1: Methods of Data Validation and Verification]

【類別1:數據有效性檢測及校驗方法】

James is a teacher at ABC school. He is going to input the exam scores into a spreadsheet. 允行是 ABC 學校的老師。他將要把考試的成績輸入至試算表中。

a. Suggest a way James can use to ensure the data input is reasonable. 試提議一個允行能確保輸入的數據是合理的方法。

b. Suggest a way James can use to ensure the data input is accurate. 試提議一個允行能確保輸入的數據是準確的方法。

Q2. 【Type 2: Data Validation - Parity Check】 【類別 2: 數據有效性檢測 — 奇偶檢測】

If the same parity check is used as validation, which of the following sets of data is erroneous? 如果相同的奇偶檢測用作有效性檢測,以下哪組數據有誤?

- A. 0010 1111
- B. 00111110
- C. 1010 0001
- D. 1100 1001